(19) 世界知的所有権機関 国際事務局



(43) 国際公開日 2005 年4 月21 日 (21.04.2005)

PCT

(10) 国際公開番号 WO 2005/035686 A1

(51) 国際特許分類7: C04B 22/12, 24/12, 24/24 C09K 3/00, 7/02,

(21) 国際出願番号:

PCT/JP2004/015106

(22) 国際出願日:

2004年10月6日(06.10.2004)

(25) 国際出願の言語:

日本語

(26) 国際公開の言語:

日本語

(30) 優先権データ:

特願2003-348461

2003年10月7日(07.10.2003) JР

- (71) 出願人(米国を除く全ての指定国について): 花王株 式会社 (KAO CORPORATION) [JP/JP]; 〒1038210 東 京都中央区日本橋茅場町一丁目14番10号 Tokyo (JP).
- (72) 発明者; および
- (75) 発明者/出願人(米国についてのみ): 小柳 幸司(KOY-

- (81) 指定国(表示のない限り、全ての種類の国内保護が 可能): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI. NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) 指定国(表示のない限り、全ての種類の広域保護が可 能): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), ユーラシア (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ヨーロッパ (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

添付公開書類:

(75) 発明者(出版人(米国についてのみ): 小柳 幸司 (KOY-ANAGI, Koji). 宮本定治 (MIYAMOTO, Sasaharu). 山 室 穂高 (YAMAMURO, Hotaka).

(74) 代理人: 古谷 聡 , 外(FURUYA, Satoshi et al.); 〒 1030007 東京都中央区日本橋浜町 2 - 1 7 - 8 浜 町花長ビル 6 階 Tokyo (JP).

(54) Title: SURFACTANT COMPOSITION

(54) 発明の名称: 界面活性剤組成物

(57) Abstract: Disclosed is a surfactant composition which contains a cationic surfactant (hereinafter referred to as compound (A)), one or more compound selected from the group consisting of anionic aromatic compounds and bromide compounds (hereinafter referred to as compound (B) are mixed, is at least twice as high as respective the compound (B) are mixed, is at least twice as high as respective referred to as compound (B)), and a cationic polymer (C). The viscosity at 20°C of a solution mixture, wherein a water solution S_A of the compound (A) and an equal amount of a water solution S_B of the compound (B) are mixed, is at least twice as high as respective viscosities of the solutions S_A and S_B (at 20°C) before mixing.

○ (57) 要約: 本発明は、カチオン性界面活性剤(以下、化合物(A)という)と、アニオン性芳香族化合物及び臭化化 合物からなる群より選ばれる1種以上の化合物(以下、化合物(B)という)と、カチオン性ポリマー(C)をと 含有し、化合物(A)の水溶液SAと化合物(B)の水溶液SBとを等量混合した水溶液の20℃における粘度が、混 合前のいずれの水溶液(20℃)の粘度よりも少なくとも2倍高くなる組み合わせである界面活性剤組成物である。

